

*AMENDMENTS TO THE CLAIMS*

1-19. (Cancelled)

20. (Currently Amended) A side impact curtain airbag to which a coating system has been applied, wherein said coating system comprises a first layer and a second layer at least two layers, wherein the first layer is closer to said fabric surface than the second layer, wherein at least one of said layers comprises at least one the first layer comprises polyurethane, and wherein said coating system is free from silicone and the second layer does not comprise silicone, and wherein the first layer is applied to said airbag in an add-on weight of from about 0.3 to about 2.5 ounces/square yard.

21. (Previously Presented) The airbag of Claim 20 wherein said airbag exhibits, upon inflation to a peak initial pressure of 30 psi using a 6.7 liter compressed nitrogen gas tank to 12 volumes of gas, a gas retention of at least 1 psi at a point in time at least 10 seconds subsequent to inflation at said peak initial pressure; wherein said airbag is coated with a coating present at an add-on weight of at most 3.0 ounces per square yard.

22. (Previously Presented) The airbag of Claim 21 wherein said airbag retains at least 6 psi of retained inflation gas at least 10 seconds subsequent to inflation at said peak initial pressure.

23. (Cancelled)

24. (Previously Presented) The airbag of Claim 21 wherein said at least one layer of coating comprising polyurethane is applied to said airbag in an add-on weight of from about 0.6 to about 1.5 ounces/square yard.

25. (Currently Amended) ~~The side impact curtain type airbag of Claim 24~~ A side impact curtain airbag to which a coating system has been applied, wherein said coating

system comprises a first layer and a second layer, wherein the first layer is closer to said fabric surface than the second layer, wherein the first layer comprises polyurethane and the second layer does not comprise silicone, and wherein the aggregate add-on weight of said coating system applied to said airbag is from about 0.6 to about 3.0 ounces/square yard.

26. (Previously Presented) The side impact curtain-type airbag of Claim 25 wherein the aggregate add-on weight of said coating system applied to said airbag is from about 0.6 to about 1.8 ounces/square yard.

27. (Currently Amended) ~~The airbag of Claim 20~~ A side impact curtain airbag to which a coating system has been applied, wherein said coating system comprises a first layer and a second layer, wherein the first layer is closer to said fabric surface than the second layer, wherein the first layer comprises polyurethane and the second layer does not comprise silicone, and wherein said airbag is Jacquard woven.

28. (Previously Presented) The airbag of Claim 21 wherein said airbag is Jacquard woven.

29. (Previously Presented) The airbag of Claim 22 wherein said airbag is Jacquard woven.

30. (Previously Presented) The airbag of Claim 23 wherein said airbag is Jacquard woven.

31. (Previously Presented) The airbag of Claim 24 wherein said airbag is Jacquard woven.

32. (Previously Presented) The airbag of Claim 25 wherein said airbag is Jacquard woven.

33. (Previously Presented) The airbag of Claim 26 wherein said airbag is Jacquard woven.

34. (Previously Presented) The airbag of Claim 20 wherein said coating system possess a tensile strength of at least 600 psi.

35. (Currently Amended) The airbag of Claim 34 wherein said coating system comprises an elastomer possessing a tensile strength of at least 1,500 psi.